

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 1 of 10

---

### 1. Product and Company Identification

Product Name PES 7175 BLACK PART A - PAIL KIT  
Product Code 600K07-PLKIT  
Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:  
Polymeric Engineered Solutions  
5401 Hwy 21 West  
Bryan, TX 77803

Information Phone: 979-779 8700  
Emergency Phone: ChemTel 800-255-3924



### 2. Hazards Identification

#### EMERGENCY OVERVIEW

#### WARNING

Acute Toxicity, Category 4  
Skin Irritation, Category 2  
Eye Irritation, Category 2B

Chronic Toxicity, (Carcinogenicity) Category 1



#### Potential Health Effects

##### Eye:

May cause mechanical irritation.

##### Skin:

May cause mechanical skin irritation.

##### Ingestion:

Not hazardous in normal industrial use.

##### Inhalation:

Not expected to cause effects from inhalation.

Chronic (Cancer) Information:

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 2 of 10

---

Contains CRYSTALLINE SILICA, which can be a health hazard. Respirable **crystalline silica can cause the occupational** lung disease silicosis (a scarring of the lungs), and IARC concluded in October 1996 that crystalline silica is **carcinogenic to humans. Silicosis increases the risk of tuberculosis, autoimmune** and chronic kidney diseases, as well as non-malignant respiratory disease (such as chronic bronchitis and emphysema). Contains CARBON BLACK, which is listed by the IARC as a Group 2B (possibly carcinogenic to humans). Not listed as a carcinogen by NTP, ACGIH, OSHA or the European Union. There are no known human carcinogenic effects related to the PAH content in carbon blacks. Recent research has shown that the PAH content of carbon blacks is not released in biological fluids and thus not available for biological activity. IARC: A component of this product presents at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.

ACGIH: A component of this product present at levels greater than or equal to **0.1% is identified as a carcinogen or** potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to **0.1% is identified as a carcinogen or** potential carcinogen by OSHA.

NTP: A component of this product presents at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

INFORMATION NOT AVAILABLE.

Reproduction Information:

INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:

INFORMATION NOT AVAILABLE.

### 3. Composition/Information on Ingredients

---

Component	CAS#	% by Wt.
QUARTZ (RESPIRABLE DUST ONLY; THIS WOULD INCLUDE ONLY PARTICLES 10 MICROMETERS OR LESS: OSHA PEL: 0.1 MG/M3 ACGIH TLV: 0.1 MG/M3	14808-60-7	57
1-METHOXY 2-PROPANOL ACGIH: 100 PPM TWA OSHA: 100 PPM TWA	107-98-2	3

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 3 of 10

---

ACGIH: 150 PPM STEL		
OSHA: 150 PPM CEILING		
BENZYL ALCOHOL	100-51-6	1
AIHA (WEEL): 10 PPM TWA		
CARBON BLACK	1333-86-4	.913
ACGIH: 3.5 MG/M3 TWA		
OSHA: 3.5 MG/M3 TWA		

#### **4. First Aid Measures**

---

##### Eyes:

Any material that contacts the eye should be washed out immediately with water. Flush with water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

##### Skin:

Wash with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

##### Ingestion:

Do NOT induce vomiting. Drink 1 or 2 glasses of milk or water to dilute. Call **a poison control center** or get medical attention immediately. Never give anything by mouth to an unconscious person.

##### Inhalation:

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

##### Note to Physicians:

INFORMATION NOT AVAILABLE.

#### **5. Fire Fighting Measures**

---

##### Flammable Properties:

Flash Point: > 200 F

Method:

##### Explosive Limits:

Lower explosive limit: 6.0

Upper explosive limit: 13.8

##### Autoignition Temperature:

INFORMATION NOT AVAILABLE.

##### Hazardous Combustion Products:

INFORMATION NOT AVAILABLE.

##### Extinguishing Media:

Water based material will not burn until all water has boiled away. Residual solids and/or product container may support combustion. Use water, foam, dry chemical or CO2.

##### Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 4 of 10

---

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a buildup of internal pressure. Cool with water spray.

### 6. Accidental Release Measures

---

Small Spill:

See Information for Large Spill, below:

Large Spill:

Use personal protective equipment. Ensure adequate ventilation.

Environmental Precautions:

Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

### 7. Handling and Storage

---

Handling:

Store in a cool, dry, well ventilated area. Keep containers tightly closed.

EMPTY CONTAINER PRECAUTIONS: Attention! This container is hazardous when empty. Follow label warnings even after container is emptied since empty containers may retain product residues. Do not re-use empty container without professional cleaning for food, clothing or products. for human or animal consumption or where skin contact can occur.

Storage:

Prevent unauthorized access.

Store in a well ventilated place.

Keep container tightly closed.

Keep cool.

### 8. Exposure Controls/Personal Protection

---

Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 5 of 10

---

circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

### Personal Protective Equipment

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

#### Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

#### Eye Protection:

Chemical safety goggles or glasses with side shields.

### **9. Physical and Chemical Properties**

---

Boiling Point: 212 F

Freezing Point: 32 F

#### Vapor Pressure:

NO INFORMATION AVAILABLE

#### Vapor Density:

HEAVIER THAN AIR

#### Solubility in Water:

SOLUBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.577

pH Range: 8-10

Coating VOE: 0.84 lb./gal

Material VOE: 0.57 lb./gal

#### Odor:

Mild acrylic odor.

#### Appearance:

Liquid.

#### Partition Coefficient:

INFORMATION NOT AVAILABLE.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 6 of 10

---

### 10. Stability and Reactivity

Chemical Stability (Conditions to Avoid):

Stable under normal storage/use conditions.

Incompatibility:

Avoid strong oxidizing agents, acids and alkalies.

**Hazardous Decomposition Products:**

**Smoke, soot and carbon dioxide, carbon monoxide.**

**Hazardous Polymerization:**

**Will not occur under normal conditions.**

---

### 11. Toxicological Information

Eye Irritation/Damage:

Component 100-51-6:

May mildly irritate the eye.

Skin Irritation/Damage:

Component 100-51-6:

LD50: 2,000 mg/kg, rabbit. Category 4.

Mild skin irritant.

Acute Oral Toxicity:

Component 1333-86-4:

LD50: >8000 mg/kg, rat. Category 5

Component 14808-60-7:

LD50: >5000 mg/kg, rat. Category 5

Component 100-51-6:

LD50: >4178 mg/kg, rat. Category 4.

Component 107-98-2:

LD50: 7200 mg/kg, rat. Category 5

Acute Inhalation Toxicity:

Respiratory/Skin Sensitization:

Component 100-51-6:

**No evidence of respiratory or skin sensitization.**

**Carcinogenicity:**

Component 1333-86-4:

Listed by IARC as a group 2B carcinogen (possibly carcinogenic to humans).

Carbon Black is not listed as a carcinogen by

NTP, OSHA or ACGIH. GHS Category 2.

Component 14808-60-7:

Listed by IARC as a group 1 carcinogen (carcinogenic to humans), and as a known carcinogen by NTP. GHS Category 1A.

Component 100-51-6::

Not listed as a carcinogen by IARC, NTP, OSHA or ACGIH

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 7 of 10

---

Reproductive Toxicity:

Component 100-51-6::

No evidence of human reproductive toxicity.

Germ Cell Mutagenicity:

Component 100-51-6::

No data

Aspiration Toxicity:

Component 107-98-2:

Not classified as an Aspiration Hazard.

STOT-single exposure:

Component 100-51-6::

No data

Component 107-98-2:

No data

STOT-repeated exposure:

Component 100-51-6:

No data

Component 107-98-2:

No data

Routes of Exposure:

Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

INFORMATION NOT AVAILABLE.

## **12. Ecological Information**

---

Environmental Toxicity:

Component 1333-86-4:

LC50: <1000 mg/1 (fish); EC50: <5600 mg/1 (daphnia); EC50: <10,000 mg/1 (algae)

Component 100-51-6:

No data

Persistence & degradability:

Component 1333-86-4:

Carbon Black is essentially elemental carbon & cannot be further biodegraded by **microorganisms**.

Component 100-51-6:

No Data

Bioaccumulative Potential:

Component 1333-86-4:

Not expected to bio

accumulate. Component 100-51-

6:

No Data

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 8 of 10

---

Mobility in soil:  
Component 100-51-6:  
No data

Other Adverse Ecological Effects:  
**No information**

### **13. Disposal Considerations**

---

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws. The toxicity characteristic (TC) has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP). Federal Regulations may apply to empty container. State and/or local regulations may be different.

Of the methods of disposal currently available, it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) recycle or rework, if feasible; (2) incinerate at an authorized facility; or (3) treat at an acceptable waste treatment facility.

Be sure to contact the appropriate government environmental agencies if further **guidance is required**.

Contaminated Materials:  
INFORMATION NOT AVAILABLE.

### **14. Transport Information**

---

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)  
Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Not regulated by DOT/IATA

UN/NA ID No: n/a

Hazard Class: n/a

Packing Group: n/a

UN Number:

UN Shipping Name:  
INFORMATION NOT AVAILABLE.

Transport Hazard Class:

Packing Group:

**Environmental Hazards:**

INFORMATION NOT AVAILABLE.

Marine Pollutant:



# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 9 of 10

---

Components of this product do not appear on the list of Marine Pollutants (49CFR 172.101)

Special Precautions for User:  
INFORMATION NOT AVAILABLE.

### **15. Regulatory Information**

---

U.S. Federal Regulations:

TSCA: All components of this material are on the US TSCA S(b) Inventory or are exempt from listing.

OSHA:

This product is hazardous under OSHA's Hazard Communication Std. Not regarded as a health hazard under current legislation.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"\*" Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

"#" Indicates a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Volatile Organic Compounds:

COATING VOE content is being expressed as mass of VOE per unit volume of coating less water and exempt solvents, where applicable.

MATERIAL VOE content is the actual weight of VOE per unit volume.

### **16. Other Information**

---

Date Revised: 06/21/17

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 979-779-8700. Manufacturer

Disclaimer:

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to

## SAFETY DATA SHEET

### *Polymeric Engineered Solutions*

PES 7175 BLACK PART A - PAIL KIT

Date Printed: 6/21/2017

Page 10 of 10

---

**determine if, or where, precautions - in addition to those described herein -** are required. Any health hazard and safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

**However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no**

liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

**representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any**

other nature are made hereunder with respect to the information contained herein or the chemical to which the

information refers. These data relate only to the specific material designated herein and do not relate to use in

combination with any other material. It is the responsibility of the user to comply with all applicable federal, state

and local laws and regulations.

End of Material Safety Data Sheet

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 1 of 8

---

### 1. Product and Company Identification

---

Product Name PES 7175 HARDENER PART B - GL BAG  
Product Code 610C12-BG  
Recommended Use: Please refer to Product Information/Technical Data Sheet.

Company Identification:  
Polymeric Engineered Solutions  
5401 Hwy 21 West  
Bryan, TX 77803

Information Phone: 979-779-8700  
Emergency Phone: ChemTel 800-255-3924

### 2. Hazards Identification

---

#### EMERGENCY OVERVIEW

#### WARNING

Acute Toxicity, Category 5  
Skin Irritation, Category 2  
Eye Irritation, Category 1  
Chronic, Respiratory Sensitizer, Category 1; Skin Sensitizer, Category 1B



#### Potential Health Effects

##### Eye:

May cause mechanical irritation.

##### Skin:

May cause mechanical skin irritation.

##### Ingestion:

Not hazardous in normal industrial use.

##### Inhalation:

Not expected to cause effects from inhalation.

Chronic (Cancer) Information:

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 2 of 8

IARC: A component of this product present at levels greater than or equal to 0.1% is identified as a probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to **0.1% is identified as a carcinogen or** Potential carcinogen by ACGIH.

OSHA: No component of this product present at levels greater than or equal to **0.1% is identified as a carcinogen or** Potential carcinogen by OSHA.

NTP: No component of this product present at levels greater than or equal to **0.1% is identified as a known or** Anticipated carcinogen by NTP.

Teratology (Birth Defects) Information:

INFORMATION NOT AVAILABLE.

Reproduction Information:

INFORMATION NOT AVAILABLE.

Aggravation of Pre-Existing Conditions:

INFORMATION NOT AVAILABLE.

### **3. Composition/Information on Ingredients**

Component	CAS#	% by Wt.
AMIDOAMINE/EPOXY RESIN ADDUCT	68951-85-9	19
ACETIC ACID, GLACIAL	64-19-7	2
ACGIH: 10 PPM TWA		
ACGIH: 15 PPM STEL		
OSHA: 10 PPM TWA		
DIMETHYLAMINOPROPYLAMINE	109-55-7	1

### **4. First Aid Measures**

Eyes:

Any material that contacts the eye should be washed out immediately with water. Flush with water for at least 15 Minutes. If easy to do, remove contact lenses. Get medical attention if symptoms persist.

Skin:

Wash with soap and water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion:

Do NOT induce vomiting. Drink 1 or 2 glasses of milk or water to dilute. Call **a poison control center** or get medical attention immediately. Never give anything by mouth to an unconscious person.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 3 of 8

### Inhalation:

If symptomatic, move to fresh air. Get medical attention if symptoms persist.

Note to Physicians:

INFORMATION NOT AVAILABLE.

## 5. Fire Fighting Measures

### Flammable Properties:

Flash Point: > 200 F

Method:

Explosive Limits:

Lower explosive limit: n/a

Upper explosive limit: n/a

### Autoignition Temperature:

INFORMATION NOT AVAILABLE.

### Hazardous Combustion Products:

INFORMATION NOT AVAILABLE.

### Extinguishing Media:

Water based material will not burn until all water has boiled away. Residual solids and/or product container may support combustion. Use water, foam, dry chemical or CO2.

### Firefighting Procedures:

Special Fire-Fighting Procedures: Wear self-contained breathing apparatus and protective clothing.

Unusual Fire and Explosion Hazards: High temperatures can cause sealed containers to rupture due to a buildup of internal pressure. Cool with water spray.

## 6. Accidental Release Measures

### Small Spill:

See Information for Large Spill, below:

### Large Spill:

Use personal protective equipment. Ensure adequate ventilation.

### Environmental Precautions:

### Methods/Materials for Containment and Cleaning Up:

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/state/federal regulations.

## 7. Handling and Storage

### Handling:

Store in a cool, dry, well ventilated area. Keep containers tightly closed.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 4 of 8

---

EMPTY CONTAINER PRECAUTIONS: Attention! This container is hazardous when empty. Follow label warnings even after container is emptied since empty containers may retain product residues. Do not re-use empty container without professional cleaning for food, clothing or products. for human or animal consumption or where skin contact can occur.

### Storage:

Prevent unauthorized access.  
Store in a well ventilated place.  
Keep container tightly closed.  
Keep cool.

## **8. Exposure Controls/Personal Protection**

---

### Airborne Exposure Limits:

SEE SECTION 3 FOR THIS INFORMATION

### Engineering Controls:

Ventilation: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions.

Ventilation should be explosion proof.

Supplementary local exhaust ventilation, closed systems, or respiratory protection may be needed in special circumstances such as poorly ventilated spaces, spray painting, mechanical generation of dusts, heating, drying, etc.

### Personal Protective Equipment

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations to an acceptable level, an approved respirator must be worn. In the United States of America, if respirators are used, a program should be instituted to assure compliance with OSHA Standard 63 CFR 1152, January 8, 1998. Respirator type: Organic Vapor.

#### Skin Protection:

Wear impervious gloves to prevent skin contact.

Recommended Decontamination Facilities: eye bath, washing facilities, safety shower.

#### Eye Protection:

Chemical safety goggles or glasses with side shields.

## **9. Physical and Chemical Properties**

---

Boiling Point: 212 F

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 5 of 8

---

Freezing Point: 32 F

Vapor Pressure:

NO INFORMATION AVAILABLE

Vapor Density:

HEAVIER THAN AIR

Solubility in Water:

SOLUBLE

Evaporation Rate: SLOWER THAN ETHER

Specific Gravity: 1.053

pH Range: 8-10

Coating VOE: 0.04 lb./gal

Material VOE: 0.02 lb./gal

Odor:

Mild acrylic odor.

Appearance:

Liquid.

Partition Coefficient:

INFORMATION NOT AVAILABLE.

### **10. Stability and Reactivity**

---

Chemical Stability (Conditions to Avoid):

Stable under normal storage/use conditions.

Incompatibility:

Avoid strong oxidizing agents, acids and alkalis.

Hazardous Decomposition Products:

Smoke, soot and carbon dioxide, carbon monoxide.

Hazardous Polymerization:

Will not occur under normal conditions.

### **11. Toxicological Information**

---

Eye Irritation/Damage:

INFORMATION NOT AVAILABLE.

Skin Irritation/Damage:

INFORMATION NOT AVAILABLE.

Acute Oral Toxicity:

INFORMATION NOT AVAILABLE.

Acute Inhalation Toxicity:

INFORMATION NOT AVAILABLE.

Respiratory/Skin Sensitization:

INFORMATION NOT AVAILABLE.

Carcinogenicity:

INFORMATION NOT AVAILABLE.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 6 of 8

---

Reproductive Toxicity:  
INFORMATION NOT AVAILABLE.

Germ Cell Mutagenicity:  
INFORMATION NOT AVAILABLE.

Aspiration Toxicity:  
INFORMATION NOT AVAILABLE.

STOT-single exposure:  
INFORMATION NOT AVAILABLE.

STOT-repeated exposure:  
INFORMATION NOT AVAILABLE.

Routes of Exposure:  
Inhalation of vapors, skin/eye/mucous membrane absorption, ingestion.

INFORMATION NOT AVAILABLE.

### **12. Ecological Information**

---

Environmental Toxicity:  
INFORMATION NOT AVAILABLE

Persistence & degradability:  
INFORMATION NOT AVAILABLE.

Bioaccumulative Potential:  
INFORMATION NOT AVAILABLE.

Mobility in soil:  
INFORMATION NOT AVAILABLE.

Other Adverse Ecological Effects:  
No information

### **13. Disposal Considerations**

---

Waste Disposal Method:

Discharge, treatment or disposal is subject to national, state, or local laws. The toxicity characteristic (TC) has not been evaluated by the Toxicity Characteristic Leaching Procedure (TCLP). Federal Regulations may apply to empty container. State and/or local regulations may be different.

Of the methods of disposal currently available, it is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) recycle or rework, if feasible; (2) incinerate at an authorized facility; or (3) treat at an acceptable waste treatment facility.

Be sure to contact the appropriate government environmental agencies if further guidance is required.

Contaminated Materials:  
INFORMATION NOT AVAILABLE.

### **14. Transport Information**

---



# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 7 of 8

---

Domestic (Land, DOT), International (Water, IMO/IMDG), International (Air, ICAO)  
Road and Rail (ADR/RID), Air (ICAO/IATA), Vessel (IMO/IMDG):

DOT (USA) Shipping Name: Not regulated by DOT/IATA

UN/NA ID No: n/a

Hazard Class: n/a

Packing Group: n/a

UN Number:

UN Shipping Name:

INFORMATION NOT AVAILABLE.

Transport Hazard Class:

Packing Group:

### **Environmental Hazards:**

INFORMATION NOT AVAILABLE.

Marine Pollutant:

Components of this product do not appear on the list of Marine Pollutants (49CFR 172.101)

Special Precautions for User:

INFORMATION NOT AVAILABLE.

### **15. Regulatory Information**

---

U.S. Federal Regulations:

TSCA: All components of this material are on the  
US TSCA 8(b) Inventory or are exempt from listing.

OSHA:

This product is hazardous under OSHA's Hazard Communication Std. Not regarded  
as a health hazard under current  
legislation.

CERCLA: SARA Hazard Category:

INFORMATION NOT AVAILABLE.

Section 313:

"\* " **Indicates toxic chemical(s) subject to the reporting requirements of**  
section 313 of Title III and of 40 CFR 372.

International Regulations:

Canadian WHMIS:

INFORMATION NOT AVAILABLE.

Canadian Environmental Protection Act (CEPA):

INFORMATION NOT AVAILABLE.

EINECS:

INFORMATION NOT AVAILABLE.

State Regulations:

INFORMATION NOT AVAILABLE.

# SAFETY DATA SHEET

## *Polymeric Engineered Solutions*

PES 7175 HARDENER PART B - GL BAG

Date Printed: 7/10/2015

Page 8 of 8

---

### Volatile Organic Compounds:

COATING VOE content is being expressed as mass of VOE per unit volume of **coating less water and exempt solvents, where applicable.**

MATERIAL VOE content is the actual weight of VOE per unit volume.

---

## 16. Other Information

Date Revised: 07/10/15

Prepared By: Regulatory Compliance

Information Contact: Regulatory Compliance 979-779-8700

### **Manufacturer Disclaimer:**

USERS RESPONSIBILITY: A bulletin such as this cannot be expected to cover all possible individual situations. As the user has the responsibility to provide a safe workplace, all aspects of an individual operation should be examined to

**determine if, or where, precautions - in addition to those described herein -** are required. Any health hazard and

safety information herein should be passed on to your customers or employees, as the case may be.

DISCLAIMER OF LIABILITY: The information contained herein is, to the best of our knowledge and belief, accurate.

**However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no**

liability for damages incurred by use of this material. All chemicals may present unknown health hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards

which exist. Final determination of suitability of the chemical is the sole responsibility of the user. No

**representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any**

**other nature are made hereunder with respect to the information contained herein or the chemical to which the**

information refers. These data relate only to the specific material designated herein and do not relate to use in

combination with any other material. It is the responsibility of the user to comply with all applicable federal, state

and local laws and regulations.

End of Material Safety Data Sheet